

## *Danish Medicines Agency*

CERTIFICATE NUMBER : **DK IMP 1000256**

# **CERTIFICATE OF GMP COMPLIANCE OF A MANUFACTURER**<sup>1,2</sup>

### **Part 1**

Issued following an inspection in accordance with :

A15-D2001/20/EC

The competent authority of Denmark confirms the following:

The manufacturer :**DB Lab A/S**

Site address :**Lille Tornbjerg Vej 24, Odense Soe, 5220, Denmark**

OMS Location :**LOC-100023090**

Has been inspected under the national inspection programme in connection with manufacturing authorisation no. **100940** in accordance with Art. 13 of Directive 2001/20/EC .

From the knowledge gained during inspection of this manufacturer, the latest of which was conducted on **2021-08-19** , it is considered that it complies with :

- The principles and guidelines of Good Manufacturing Practice laid down in Directive 2003/94/EC<sup>3</sup>

This certificate reflects the status of the manufacturing site at the time of the inspection noted above and should not be relied upon to reflect the compliance status if more than three years have elapsed since the date of that inspection. However, this period of validity may be reduced or extended using regulatory risk management principles by an entry in the Restrictions or Clarifying remarks field. This certificate is valid only when presented with all pages and both Parts 1 and 2. The authenticity of this certificate may be verified in EudraGMDP. If it does not appear, please contact the issuing authority.

---

<sup>1</sup> The certificate referred to in paragraph Art. 15 of Directive 2001/20/EC, shall also be required for imports coming from third countries into a Member State.

<sup>2</sup> Guidance on the interpretation of this template can be found in the Help menu of EudraGMDP database.

<sup>3</sup> These requirements fulfil the GMP recommendations of WHO.

## Part 2

Human Investigational Medicinal Products

### 1 MANUFACTURING OPERATIONS

#### 1.4 Other products or manufacturing activity

1.4.3 *Other: Storage of reference samples(en)*

Special Requirements

1 B-lactam Antibiotics

#### 1.6 Quality control testing

1.6.2 *Microbiological: non-sterility*

1.6.3 *Chemical/Physical*

1.6.4 *Biological*

Clarifying remarks (for public users)

***Only QC testing (incl API) and storage of reference and retention samples. No production. No release.***

2022-02-07

Name and signature of the authorised person of the  
Competent Authority of



-----  
***Marlene Wessel Larsen***  
***Danish Medicines Agency***

Tel :

Fax :